



AUS920010685US1 Cheng et al. Legacy CORBA Name Space Integration





AUS920010685US1
Cheng et al.
Legacy CORBA Name Space Integration
Using Web Application Servers
3/5





FIG. 5

AUS920010685US1 Cheng et al.

Legacy CORBA Name Space Integration Using Web Application Servers



AUS920010685US1 Cheng et al. Legacy CORBA Name Space Integration Using Web Application Servers

5/5 FIG. 8 FIG. 9 BEGIN **BEGIN** COLLECT BINDING 810-LOOK UP JAVA NAMING AND REQUEST INFORMATION DIRECTING INTERFACE (JNDI) NAME ON THE SOURCE GET URL OF SOURCE 820-APPLICATION SERVER APPLICATION SERVER CONVERT THE OBJECT 920 GET URL OF DESTINATION 830-REFERENCE TO A APPLICATION SERVER SERIALIZED IOR GET THE SOURCE NAME ATTACH SERIALIZED 840 930 IOR TO A REQUEST GET THE DESTINATION NAME 850 FORWARD REQUEST TO BINDER SERVLET ON FORWARD REQUEST TO -940 DESTINATION OBTAIN A SERIALIZED IOR APPLICATION SERVER 860~ TO THE SOURCE APPLICATION SERVER **END**

END

